



PREMIO – outstanding performance

Wherever the **most demanding requirements** are placed on electrical adhesive tape, experts can always rely on **PREMIO**. The new high-quality range of adhesive tapes from Cellpack **for all special applications** is now available at your local electrical supply wholesaler. **PREMIO** – when good just isn't good enough!

Systems For Professionals

CELLPACK

Electrical Products



PREMIO

Cellpack now offers an expanded range of top-quality adhesive tapes for insulating, protecting, fastening, bundling, marking, sealing off and padding for the professional electrician. These consist of PVC adhesive tape, all-weather and electrical insulating tape, cable bundling tape, glass-fibre textile tape, double-sided foam adhesive tape, anti-corrosion tape and copper film with a conductive acrylic adhesive.

PREMIO, the new high-quality range of adhesive tapes from Cellpack **for special applications** is now available at your local electrical supply wholesaler.

PREMIO – when good just isn't good enough!





PREMIO 120
Universal PVC Adhesive Tape

Applications

- Universal applications, e.g. bundling, fastening, masking off and sealing off

Properties

- Easy to tear off, can be removed completely again.

| Type | Thickness in mm | Width in mm | Length in m | Colour | Art. No. |
|------------|-----------------|-------------|-------------|--------|----------|
| Premio 120 | 0.15 | 50 | 25 | grey | 223573 |



PREMIO 388
PVC All-Weather Tape

Applications

- Electrical insulation for applications up to 0.6/1 kV

Properties

- Resistant to weathering
- Resistant to diluted acids and alkaline solutions

| Type | Thickness in mm | Width in mm | Length in m | Colour | Art. No. |
|------------|-----------------|-------------|-------------|--------|----------|
| Premio 388 | 0.22 | 19 | 6 | black | 223605 |
| | 0.22 | 19 | 20 | black | 223604 |



PREMIO 233
PVC Electrical Insulating Tape

Applications

- Electrical insulation for applications up to 0.6/1 kV

Properties

- Resistant to UV rays
- Easy to use at low temperatures

| Type | Thickness in mm | Width in mm | Length in m | Colour | Art. No. |
|------------|-----------------|-------------|-------------|--------|----------|
| Premio 233 | 0.18 | 19 | 6 | black | 223609 |
| | 0.18 | 19 | 20 | black | 223607 |
| | 0.18 | 19 | 33 | black | 223606 |



PREMIO 235

PVC Electrical Insulating Tape


Applications

- Colour-coding and marking
- Electrical insulation for applications up to 0.6/1 kV

Properties

- Resistant to UV rays
- Easy to use at low temperatures

| Type | Thickness in mm | Width in mm | Length in m | Colour | Art. No. |
|------------|-----------------|-------------|-------------|--------------|----------|
| Premio 235 | 0.18 | 19 | 20 | white | 223594 |
| | 0.18 | 19 | 20 | violet | 223595 |
| | 0.18 | 19 | 20 | orange | 223596 |
| | 0.18 | 19 | 20 | grey | 223597 |
| | 0.18 | 19 | 20 | brown | 223598 |
| | 0.18 | 19 | 20 | yellow | 223599 |
| | 0.18 | 19 | 20 | green | 223600 |
| | 0.18 | 19 | 20 | blue | 223602 |
| | 0.18 | 19 | 20 | red | 223603 |
| | 0.18 | 19 | 20 | green-yellow | 252110 |



PREMIO 845

Cable Bundling Tape

Applications

- Fixing cables in place

Properties

- Extremely tear-resistant
- Outstanding adhesive strength on various materials

| Type | Thickness in mm | Width in mm | Length in m | Colour | Art. No. |
|------------|-----------------|-------------|-------------|--------|----------|
| Premio 845 | 0.18 | 19 | 20 | black | 223592 |
| | 0.18 | 19 | 50 | black | 223591 |
| | 0.18 | 25 | 50 | black | 223590 |



PREMIO 1130
Glass-Fibre Textile Tape

Applications

- Insulation of electrical components which become very hot during operation
- Protective wrapping against radiant heat

Properties

- Heat-resistant up to 130 °C
- Suitable for marking

| Type | Thickness in mm | Width in mm | Length in m | Colour | Art. No. |
|-------------|-----------------|-------------|-------------|--------|----------|
| Premio 1130 | 0.18 | 19 | 33 | white | 223583 |
| | 0.18 | 12 | 33 | white | 223585 |



PREMIO 1180
Glass-Fibre Textile Tape

Applications

- Insulation of electrical components which become very hot during operation
- Protective wrapping against radiant heat

Properties

- Heat-resistant up to 180 °C
- Suitable for marking

| Type | Thickness in mm | Width in mm | Length in m | Colour | Art. No. |
|-------------|-----------------|-------------|-------------|--------|----------|
| Premio 1180 | 0.18 | 25 | 33 | white | 223580 |
| | 0.18 | 15 | 33 | white | 223581 |



PREMIO 5584
Double-Sided Foam Adhesive Tape

Applications

- Tape for general adhesive bonding and fastening

Properties

- Suitable for use in the temperature range from -40 °C to 100 °C
- Moisture-resistant

| Type | Thickness in mm | Width in mm | Length in m | Colour | Art. No. |
|-------------|-----------------|-------------|-------------|--------|----------|
| Premio 5584 | 1 | 19 | 60 | white | 223575 |
| | 1 | 25 | 60 | white | 223574 |



PREMIO 550
Anti-Corrosion Tape

Applications

- Wrapped components, e.g. pipes and masts, can be installed directly in the ground

Properties

- Resistant to diluted acids and alkaline solutions
- Extremely resistant to weathering

| Type | Thickness in mm | Width in mm | Length in m | Colour | Art. No. |
|------------|-----------------|-------------|-------------|--------|----------|
| Premio 550 | 0.25 | 25 | 30 | black | 223589 |
| | 0.25 | 38 | 30 | black | 223588 |
| | 0.25 | 50 | 30 | black | 223587 |
| | 0.25 | 100 | 30 | black | 223586 |



PREMIO 2281
Copper Film with Conductive Acrylic Adhesive

Applications

- Discharging static charging and shielding of electromagnetic fields on components and equipment

Properties

- Suitable for soldering
- Resistant to diluted acids and alkaline solutions

| Type | Thickness in mm | Width in mm | Length in m | Colour | Art. No. |
|-------------|-----------------|-------------|-------------|--------|----------|
| Premio 2281 | 0.06 | 9 | 33 | copper | 223578 |
| | 0.06 | 12 | 33 | copper | 223577 |
| | 0.06 | 19 | 33 | copper | 223576 |

PREMIO

The extremely tear-resistant **PREMIO 845** for bundling simplifies installation work.

More on Page 4.



WEST

Cellpack AG Electrical Products
Anglikerstrasse 99
5612 Villmergen
Switzerland
Tel. +41 (0) 56 618 12 34
Fax +41 (0) 56 618 12 45
verkauf.ep@cellpack.com

Cellpack GmbH
Carl-Zeiss-Straße 20
79761 Waldshut-Tiengen
Germany
Tel. +49 7741 6007-0
Fax +49 7741 64989
electrical.products@cellpack.com

Cellpack Benelux B.V.
Keersluisweg 13
1332 EE Almere Buiten
The Netherlands
Tel. +31 (0) 36 549 03 36
Fax +31 (0) 36 532 74 99
info@cellpack.nl

Behr Bircher Cellpack Ibérica, S.A.
C/.Mas Pujol, nr. 47 – Nave 4
Pol. Ind. Sector V
08520 – Les Franqueses del Valls
Barcelona – Spain
Tel. +34 93 846 63 76
Fax +34 93 849 12 06
comercial@cellpackiberica.com

Behr Bircher Cellpack BBC France s.à.r.l.
277, Boulevard des Technologies
54710 Ludres
France
Tel. +33.(0)3.83.25.60.07
Fax +33.(0)3.83.25.88.27
info@cellpack-ep.fr

EAST

Cellpack Polska Sp. z o.o.
ul. Matuszewska 14,
03-876 Warszawa
Polska
Tel. +48 022 853 53 54
Fax +48 022 853 53 56
biuro@cellpack.pl

ASIA

Cellpack Far East (PTE) LTD.
128 Joo Seng Road # 06 – 01
Singapore 368356
Tel. +65 6747 7024
Fax +65 6841 4554
info@cellpack.com.sg

Behr Bircher Cellpack BBC Malaysia Sdn. Bhd.
No. 8, Jalan TU 50
Taman Tasik Utama
Ayer Keroh
75450 Melaka
Malaysia
Tel. + 60 6 251 95 30
Fax + 60 6 251 95 31
info@cellpack.com.my
www.cellpack.com.my

Systems For Professionals

CELLPACK
Electrical Products

a **BBC GROUP** company

All about us:
www.bbcgroup.biz



www.cellpack.com