

# **Power Gel**

Transparent, flexible two-component gel to cast branch and connection boxes



# Power Gel seals and protects all electrical installations

Whether outdoors or in indoor areas being exposed to high humidity – the Cellpack Power Gel provides a reliable protection to electrical and electronic components. The installation is sealed and protected durably, hereby allowing for IP protection classes IP68. The flexible two-component gel is characterized by an optimal viscosity and shows a flexible consistency as well as a high level of dimensional stability after the cast. Additionally, the vibration damping characteristics prevents wire breakage or loose contacts. The transparency of the Power Gel allows for a visual testing of the connection after the cast or at any other time. An individual dosage, a safe processing and easy removal are further characteristics of the Power Gel.

#### **Product benefits**

- electrical installation are sealed and durably protected against humidity
- transparent consistency allows visual testing
- vibration damping characteristics prevent wire breakage and loose contacts
- removable subsequent modifications of connections and branch-offs possible
- individual-portioned, non-required material can be stored and used at later time
- no labelling for hazardous substances required
- unlimited shelf life if unopened

# **Application areas and properties**

- for low voltage U<sub>0</sub>/U (U<sub>m</sub>) 0.6/1 (1.2) kV
- in branch and connection boxes
- indoor areas (also with high humidity levels)
- outdoor
- for applications in water or soils in suitable branch and connection boxes with strain relief
- protection against moisture with suitable housing (protection class: IP 68)
- flexible two-component gel with mixing ratio of 1:1
- transparent
- vibration damping
- removable
- non-labelled and non-toxic



# ✓ user-friendly + ✓ safe processing







The mixing of the Power Gel is effected with the spatula in the measuring cup in the desired amount with a mixing ratio of 1:1. Non-required material in the PE bottles can be stored for up to 12 months for further use. The discharge aid of the cup allows for a clean cast of branch and connection boxes.

The transparent Power Gel is flexible and dimensionally stable upon the cast or the hardening. With a pot life of 15 minutes at a working temperature of 15 - 30 °C, Power Gel provides an optimal processing-/hardening ratio and is thus also suitable for serial casts.

Product Scope of delivery Article number

# Power Gel 400 ml



200 ml component A 200 ml component B Measuring cup Spatula 335120

# Power Gel 1000 ml



500 ml component A 500 ml component B Measuring cup Spatula 335121

# INTERNATIONAL SALES ORGANISATIONS

# Europe

#### Cellpack AG Electrical Products

Anglikerstrasse 99
5612 Villmergen
Schweiz
Tel. +41 56 6181 234
Fax +41 56 6181 245
verkauf.epschweiz@cellpack.com

# Cellpack GmbH Flectrical Products

Carl-Zeiss-Straße 20 79761 Waldshut-Tiengen Deutschland Tel. +49 7741 6007-0 Fax +49 7741 64989 electrical.products@cellpack.com

#### Cellpack Benelux B.V.

Keersluisweg 13 1332 EE Almere Buiten Nederland Tel. +31 36 549 03 36 Fax +31 36 532 74 99 info@cellpack.nl

# Cellpack Polska Sp. z o.o.

03-876 Warszawa Polska Tel. +48 22 853 53 54 Fax +48 22 853 53 56 biuro@cellpack.pl

ul. Matuszewska 14,

### Cellpack Italia Srl

Via Petrarca, 2 22100 Como Italia Tel. +39 349 903 41 61 epitalia@cellpack.com

#### Behr Bircher Cellpack Ibérica, S.A.

C/.Mas Pujol, nr. 47 – Nave 4 Pol. Ind. Sector V 08520 – Les Franqueses del Vallès Barcelona – España Tel. +34 93 846 63 76 Fax +34 93 849 12 06 comercial@cellpackiberica.com

#### Behr Bircher Cellpack BBC France s.à.r.l.

277, Boulevard des Technologies 54710 Ludres France Tel. +33.3.83.25.60.07 Fax +33.3.83.25.88.27 info@cellpack-ep.fr

# International Distributors

#### Cellpack AG Electrical Products

Anglikerstrasse 99
5612 Villmergen
Schweiz
Tel. +41 56 6181 818
Fax +41 56 6181 245
EPSalesExport@cellpack.com

# Middle East

#### Behr Bircher Cellpack BBC AG DMCC Branch

Jumeirah Lakes Towers Dubai, UAE Tel. +971 50 952 28 00 EPSalesME@cellpack.com

### **Asia Pacific**

#### **Cellpack Far East Pte Ltd**

128 Joo Seng Road # 06 - 01 Singapore 368356 Tel. +65 6747 7024 Fax +65 6841 4554 info@cellpack.com.sg

#### Behr Bircher Cellpack BBC Malaysia Sdn. Bhd.

No. 17, Jalan Laman Setia 7/3 Setia Business Park 81550 Gelang Patah Johor Malaysia Tel. +607 559 0570 Fax +607 559 0571 info@cellpack.com.my www.cellpack.com.my

### Behr Bircher Cellpack BBC Australia Pty Ltd

PO Box 73

Oakdale, NSW, 2570 Australia Tel. +61 407 103 621 Fax +61 2 4659 6531 New Zealand Tel. +64 21 591 960 Fax +64 9 436 0897 salesanz@cellpack.com



Further information on our products: electricalproducts.cellpack.com

www.cellpack.com

