

TOP 250

**BBC CELLPACK ELECTRICAL PRODUCTS -
Your international expert for the electrical trade**

We connect your energy

www.cellpack.com



HEAT SHRINK TECHNOLOGY

SRH2

Heat shrinkable medium wall tube halogen-free, shrink ratio 3 : 1, with or without adhesive

Colours



Type	VPE	EAN	Art.-No.	
with adhesive Lengths black				
SRH2	8-2	20	4010311009223	127416
	12-3	20	4010311009230	127417
	22-6	10	4010311009247	127418
	34-7	10	4010311009261	127421
	40-12	10	4010311009278	127423
	56-16	10	4010311009285	127425
	63-19	10	4010311024622	135859
	75-22	5	4010311024639	127427
	95-26	5	4010311009308	127429
	120-34	1	4010311009315	127431

SRH3

Heat shrinkable thick wall tube halogen-free, shrink ratio 3 : 1, with or without adhesive

Colours



Type	VPE	EAN	Art.-No.	
with adhesive Lengths black				
SRH3	12-3	20	4010311009636	127503
	16-4	20	4010311017389	135860
	22-5	10	4010311009643	443960
	33-8	10	4010311024684	127507
	48-12	10	4010311009667	443980
	63-15	10	4010311024691	444005
	75-20	10	4010311009681	127522
	92-25	1	4010311009698	127515
	130-34	1	4010311024707	144863
	160-50	1	4010311044750	158903

SMH4

Heat shrinkable straight-through joint for unarmoured polymeric cables and conductors



Type	VPE	EAN	Art.-No.	
SMH4	16-50	1	4010311000275	145320
	25-150	1	4010311000299	145282
	70-150 V	1	4010311020549	145361
	95-300	1	4010311000305	145342

SMH5

Heat shrinkable straight-through joint for unarmoured polymeric cables and conductors



Type	VPE	EAN	Art.-No.	
SMH5	1,5-16	1	4010311000329	145338
	1,5-6	1	4010311000312	145255
	1,5-6 V	1	4010311020600	145362
	35-95	1	4010311048147	126745
	6-35	!	4010311020617	145363

SMHC...

Heat shrinkable straight-through joint for polymeric cables with concentric conductor



Type	VPE	EAN	Art.-No.	
SMHC	120-240	1	4010311116808	203041

SMHSV4

Heat shrinkable straight-through joint with screw connectors (with shear head bolts), for unarmoured polymeric cables and conductors



Type	VPE	EAN	Art.-No.	
SMHSV4	95-240	1	4010311143095	262710

EASY-FIX

SRMH Cable repair kit for damaged cables and conductors



Type	VPE	EAN	Art.-No.	
EASY-FIX	3	20	4010311136608	254684
	5	20	4010311168326	345619

SRMAHV

Heat shrinkable repair sleeve with adhesive and stainless steel channel



Type	L mm	VPE	EAN	Art.-No.	
SRMAHV	28-10	250	1	4010311002002	143595
	28-10	500	1	4010311002019	143601
	28-10	750	1	4010311002026	143605
	28-10	1000	1	4010311002033	143592
	43-12	250	1	4010311040400	165912
	43-12	500	1	4010311040417	166012
	43-12	750	1	4010311040424	166013
	43-12	1000	1	4010311040394	166016
	43-12	1500	1	4010311002101	143627
	72-18	250	1	4010311002125	143630
	72-18	500	1	4010311002132	143632
	72-18	750	1	4010311002149	143637
	72-18	1000	1	4010311002156	143628
	72-18	1500	1	4010311002163	143646
	72-18	2000	1	4010311002170	143629
	93-26	250	1	4010311002194	143649
	93-26	500	1	4010311002200	143650
	93-26	750	1	4010311002224	143654
	93-26	1000	1	4010311002231	143647
	93-26	2000	1	4010311002255	143648
	115-30	250	1	4010311002262	143661
	115-30	500	1	4010311002279	143663
	115-30	750	1	4010311002286	143665
	115-30	1000	1	4010311002293	143659
	115-30	1500	1	4010311002309	143669
	125-32	500	1	4010311002347	143672
	125-32	750	1	4010311002354	143673
	125-32	1000	1	4010311002361	143670
	125-32	1500	1	4010311002378	143679
	198-50	1000	1	4010311044767	143680

SKH

Heat shrinkable end cap
with adhesive,
optionally with additional sealing material



Type	VPE	EAN	Art.-No.	
SKH	10-4	10	4010311048536	125345
	15-5	20	4010311020716	125351
	22-9	20	4010311005157	125334
	35-15	20	4010311005164	125335
	55-25	20	4010311005171	125336
	75-30	5	4010311020754	125337
	95-40	5	4010311020761	125338

SEH

Heat shrinkable spreader cap
for 2-, 3-, 4-, 5-core cables and conductors,
with adhesive



Type	VPE	EAN	Art.-No.	
2-fingers spreader cap				
SEH2	30-10	20	4010311041124	125374
	50-24	10	4010311041131	169475
	60-20	10	4010311057620	125373
3-fingers spreader cap				
SEH3	25-9	20	4010311041148	169471
	35-15	10	4010311020815	125365
	55-23	5	4010311041162	169473
	75-28	5	4010311049557	186615
	110-35	5	4010311041186	169711
125-59	5	4010311115214	125371	
4-fingers spreader cap				
SEH4	28-9	20	4010311041193	148844
	35-15	20	4010311004471	143556
	47-23	5	4010311041209	166973
	60-25	5	4010311041216	169477
	78-36	5	4010311041223	166972
	95-36	5	4010311004518	143563
150-55	5	4010311155685	302333	
5-Finger-Aufteilkappen				
SEH5	65-15	5	4010311123301	222242
	80-33	5	4010311124001	223131
	100-42	5	4010311124018	223132

SB

Heat shrinkable tube in dispenser box
thin wall, self-extinguishing, shrink ratio 2 : 1,
without adhesive



Type	L m	VPE	EAN	Art.-No.
SB	1.2-0.6	15	4010311035383	127020
	1.6-0.8	15	4010311035499	127027
	2.4-1.2	15	4010311035604	127034
	3.2-1.6	15	4010311035710	127041
	4.8-2.4	10	4010311001050	127049
	6.4-3.2	10	4010311001173	127057
	9.5-4.8	10	4010311036045	127065
	12.7-6.4	8	4010311036151	127073
	19.1-9.5	7	4010311036267	127081
	25.4-12.7	4	4010311036373	127089

SHE

Heat shrinkable wall duct
for cables and conductors



Type	VPE	EAN	Art.-No.	
SHE	14-8	1	4010311005287	145600
	26-12	1	4010311005294	145604
	41-16	1	4010311005300	145616
	54-26	1	4010311005317	145611
	95-54	1	4010311005324	145614

CAST RESIN TECHNOLOGY

M...EG

Cast resin straight-through joint
for polymeric cables and conductors, control cables
and signal cables



Type	VPE	EAN	Art.-No.	
M	0 EG	1	4010311000046	124293
	1 EG	1	4010311000053	124294
	2 EG	1	4010311000060	124295
	2.5 EG	1	4010311000077	124296
	3 EG	1	4010311000084	124297
	4 EG	1	4010311000091	124298
5 EG	1	4010311000107	124299	
6 EG	1	4010311000114	124300	

M-Euroline

Cast resin straight-through joint
for polymeric cables and conductors



Type	VPE	EAN	Art.-No.	
M	11	1	4010311000121	124169
	12	1	4010311000138	124170
	13	1	4010311000152	124172
	15	1	4010311000183	124175
	16	1	4010311000190	124176

T...EG

Cast resin branch joint
for polymeric cables and conductors



Type	VPE	EAN	Art.-No.	
T	1 EG	1	4010311045191	131149
	2 EG	1	4010311117058	133024

Y...EG

Cast resin branch joint
for polymeric cables and conductors



Type	VPE	EAN	Art.-No.	
Y	00 EG	1	4010311053868	133841
	0 EG	1	4010311050454	152932
	1 EG	1	4010311053875	124730

M...V-Euroline

Cast resin straight-through joint
with screw connectors,
for polymeric cables and conductors



Type	VPE	EAN	Art.-No.	
M	11 V	1	4010311020327	131863
	12 V	1	4010311020334	131867
	13 V	1	4010311020389	131864
	14 V	1	4010311020396	131865

MZ

Cast resin straight-through joint for control cables and signal cables




Type	VPE	EAN	Art.-No.
MZ 00	1	4010311000022	124505

Universal Box CG

Connection and branch box with WAGO COMPACT type 221 splicing connectors, the cast resin does not require a hazard label



LABEL FREE



Type	VPE	EAN	Art.-No.
T40	1	4010311193861	425589
Universal Box CG T60	1	4010311194462	428123
T100	1	4010311194479	428124

EG

Two-component PUR cast resin universal

ABSOLVE NOW DIISOCYANATE-TRAINING



Type	VPE	EAN	Art.-No.
EG 143	1	4010311003788	124909
286	1	4010311003795	124986
370	1	4010311046518	124962
464	1	4010311003801	124989
730	1	4010311003818	124990

GG

Two-component PUR cast resin reduced hazard-class

FREE OF TRAINING



Type	VPE	EAN	Art.-No.
GG 80	1	4010311171227	353869
143	1	4010311171234	353890
286	1	4010311171241	353891
370	1	4010311171258	353892
464	1	4010311171265	353893
730	1	4010311171272	353894
1000	1	4010311171166	353818
1700	1	4010311165127	335750

GEL TECHNOLOGY

EASYCELL® EASY...V

Gel straight-through joint with connection block



Type	VPE	EAN	Art.-No.
EASY 2 V	1	4010311186931	389676
3 V	1	4010311186948	389677
4 V	1	4010311186955	389678
5 V	1	4010311186962	389679

EASYCELL® EASY...V

Gel branch joint with branch-off block



Type	VPE	EAN	Art.-No.
EASY 6 V	1	4010311182001	371166
7 V	1	4010311182018	371167

EASYCELL®

Strain relief for gel straight-through joints EASY 4 V and EASY 5 V



Type	VPE	EAN	Art.-No.
Strain relief	1	4040311158884	310553

EASY-PROTECT

Gel box with WAGO COMPACT Splicing Connectors



Type	VPE	EAN	Art.-No.
EASY-PROTECT 112	1	4010311189352	407858
113	1	4010311189369	407859
222	1	4010311189376	407860
215	1	4010311189383	407861
332	1	4010311189390	407862
323	1	4010311189406	407863
412	1	4010311189826	410356
413	1	4010311189833	410357
522	1	4010311189840	410358
515	1	4010311189857	410359
632	1	4010311189864	410360
623	1	4010311189871	410361

WAGO is a registered trademark of WAGO Verwaltungsgesellschaft mbH

JUMBO GEL

Two-component gel based on silicon cost-effective casting for big quantities



Type	VPE	EAN	Art.-No.
JUMBO GEL 2000	1	4010311175713	364306
5000	1	4010311175720	364307
10000	1	4010311175737	364308

POWER GEL

Two-component gel based on silicon to cast branch and connection boxes



Type	VPE	EAN	Art.-No.
POWER GEL 400	1	4010311164793	335120
1000	1	4010311164786	335121

SOFT GEL

One-component gel based on silicon ready-to-use, suitable for a wide range of applications



Type	VPE	EAN	Art.-No.
SOFT GEL 300	12	4010311176970	364723

SUPRA GEL

Two-component gel based on silicon
ready-to-use, delivered with static mixer for small volume boxes



Type	VPE	EAN	Art.-No.
SUPRA GEL	250	4010311175492	364036

CSK

Screw cable lug for Cu and Al
longitudinally sealed, with shear head bolts, for low and medium voltage



Type	VPE	EAN	Art.-No.	
CSK	6-50	25	4010311185347	374490
	16-95	25	4010311185354	374491
	50-150	15	4010311185361	374492
	95-240	10	4010311185378	374493
	95-240 DM17	10	4010311185385	374494
	240-400	10	4010311185392	374495

CONNECTING TECHNOLOGY

AK

Screw branch clamp Al-Cu
for cast resin straight-through and branch joints, for low voltage



Type	VPE	EAN	Art.-No.
AK	6	4010311198507	446312
	10	4010311198514	446313
	16	4010311198521	446314
	25-35	4010311198538	446315

DR

Heat shrinkable crimp connector
insulated with heat shrinkable tube, with adhesive, for low voltage



Type	Colours	Nominal cross section mm ²	VPE	EAN	Art.-No.
DR	1 Rot	0,5 - 1,5	20	4010311199535	456330
	1 Rot	0,5 - 1,5	100	4010311199566	456333
	2 Blau	1,5 - 2,5	20	4010311199542	456331
	2 Blau	1,5 - 2,5	100	4010311199573	456334
	3 Gelb	4 - 6	20	4010311199559	456332
	3 Gelb	4 - 6	100	4010311199580	456335
DR-L	2 Blau	1,5 - 2,5	20	4010311199597	456336
	2 Blau	1,5 - 2,5	100	4010311199603	456337

AVS

Wire connector
for telecommunication and signal cables, DIN 47627
Cross section 0,4 - 0,9



Type	VPE	EAN	Art.-No.
AVS	2-9	4010311010670	145624
	3-9	4010311010694	145622

CSV-T

Screw connector for Cu and Al
longitudinally sealed, with shear head bolts, with separator, for low voltage



Type	VPE	EAN	Art.-No.
CSV-T	6-50	4010311137612	255406
	16-95	4010311137629	255408
	50-150	4010311147130	267708
	95-240	4010311146324	266811
	240-400	4010311149004	289677

TAPES

No. 328

PVC insulation tape
for insulation and bundling

Good workability even at low temperatures (-18°C up to 105°C)

Approval according to VDE IEC 60454-3-1-11/F-PVCP/105

Colours



Type	VPE	EAN	Art.-No.
D x B x L: 0,18 mm x 12 mm x 20 m			
No. 328	Black	4010311190679	416717
D x B x L: 0,18 mm x 15 mm x 20 m			
No. 328	Black	4010311190686	416721
D x B x L: 0,18 mm x 19 mm x 10 m			
No. 328	Black	4010311190693	416722
D x B x L: 0,18 mm x 19 mm x 20 m			
No. 328	Black	4010311190709	416770
	Dark blue	4010311190716	416771
	Light blue	4010311190723	416772
	Yellow	4010311190730	416773
	Red	4010311190747	416774
	White	4010311190754	416775
	Green	4010311190761	416776
	Violet	4010311190778	416777
	Grey	4010311190785	416778
	Brown	4010311190792	416779
	Green-Yellow	4010311190808	416780
	Mixed	4010311190815	416781
D x B x L: 0,18 mm x 25 mm x 20 m			
No. 328	Black	4010311190822	416782
D x B x L: 0,18 mm x 30 mm x 20 m			
No. 328	Black	4010311190839	416783
D x B x L: 0,18 mm x 38 mm x 20 m			
No. 328	Black	4010311190846	416784
	Grey	4010311190853	416785
D x B x L: 0,18 mm x 50 mm x 20 m			
No. 328	Black	4010311190860	416786
	Red	4010311190877	416787
	White	4010311190884	416788
	Grey	4010311190891	416789

No. 128

PVC insulation tape
for marking, bundling and insulating

Good workability even at low temperatures (0°C bis 90°C)

Approval according to IEC 60454-3-1-5/F-PVCP/90



Type	VPE	EAN	Art.-No.	
D x B x L: 0,15 mm x 15 mm x 10 m				
	Black	10	4010311018591	145821
No. 128	Blue	10	4010311018607	145825
	White	10	4010311018638	145828
D x B x L: 0,15 mm x 19 mm x 10 m				
	Black	10	4010311013725	145806
No. 128	Blue	10	4010311013732	145810
	White	10	4010311013763	145813
	Grey	10	4010311013794	145816
D x B x L: 0,15 mm x 19 mm x 25 m				
No. 128	Black	10	4010311013626	145794
	White	10	4010311013664	145801
D x B x L: 0,15 mm x 30 mm x 25 m				
No. 128	Black	5	4010311017686	145784
D x B x L: 0,15 mm x 38 mm x 25 m				
No. 128	Black	5	4010311017549	145771
D x B x L: 0,15 mm x 50 mm x 25 m				
No. 128	Black	4	4010311017556	145772

No. 26

Warning tape
for warning of cable presence in case of excavation work



Type	VPE	EAN	Art.-No.	
D x B x L: 0,15 mm x 40 mm x 250 m Yellow with black print				
	Achtung Kabel*	1	4010311015125	145862
No. 26	Achtung Starkstromkabel*	10	4010311018737	145865
	Achtung Fernmeldekabel*	10	4010311018720	145864
	Achtung Straßenbeleuchtung*	10	4010311029429	145867
D x B x L: 0,1 mm x 100 mm x 250 m White with black print				
No. 26	Kabel Gefahr*	1	4010311049076	125626
	Achtung Wasserleitung*	1	4010311049090	125629
D x B x L: 0,1 mm x 100 mm x 250 m Yellow with black print				
No. 26	Achtung Gasleitung*	1	4010311049083	125628
D x B x L: 0,1 mm x 100 mm x 250 m Yellow with black print				
No. 26	Achtung TV Kabel*	1	4010311049106	125627

*The imprint on the tape is written in german.



ACCESSORIES

KS

Cable tie
Standard



Type	VPE	EAN	Art.-No.	
KS 3.5/280	Black	100	4010311006390	146422
	Black	100	4010311006499	146426
KS 4.5/200	Natural	100	4010311006581	146428
	Black	100	4010311006598	146431
KS 4.5/280	Natural	100	4010311006680	146433
	Black	100	4010311006697	146434
KS 4.5/360	Natural	100	4010311006789	146435
	Black	100	4010311006895	146438
KS 7.5/360	Natural	100	4010311006987	146440
	Black	100	4010311006994	146442
KS 7.5/750	Natural	100	4010311007083	146443
	Black	100	4010311008011	146448
KS 9.0/780	Natural	50	4010311007182	146445

UNIVERSAL CLEANER 121

Cleaner
for cleaning and degreasing



Type	Inhalt	VPE	EAN	Art.-No.
UNIVERSAL CLEANER 121	0,4	12	4010311005737	146404

CABLE GLISS

Lubricant spray
for feeding cables and conductors



Type	Inhalt	VPE	EAN	Art.-No.
CABLE GLISS	0,4	1	4010311055473	124050
	0,6	12	4010311201689	458286

EASY-CLEAN

Hand wipes
for universal cleaning



Type	VPE	EAN	Art.-No.	
EASY-CLEAN	Pail 90	1	4010311196480	434109
	Tin 18	1	4010311196664	435266
	Sales display 40	40	4010311196473	434133

BBC Cellpack Electrical Products

Carl-Zeiss-Straße 20 | 79761 Waldshut-Tiengen | Tel. +49 7741 6007 0 | epverkaufdeutschland@cellpack.com



We connect your energy

www.cellpack.com